



RED BORDER #1

FINISHED MEASUREMENTS

21-3/4" x 21-3/4" square

3-1/2" triangles

MATERIALS

- EZ Quilting™ Easy Angle Ruler
- General sewing supplies
- Fabric spray starch
- Quilting thread to match fabrics
- Rotary Cutter
- Mat
- Ruler

FABRIC REQUIREMENTS


Red solid fabric	1/2 yd (includes binding yardage)
Red & white print fabric	5" x 15" rectangle
Orange solid fabric	1/4 yd
Light yellow solid fabric	5" x 15" rectangle
Yellow print fabric	5" x 15" rectangle
White solid fabric	5/8 yd
Backing fabric	3/4 yd
Batting	25" x 25" square

HOW TO CUT TRIANGLE SETS

1. The triangles can quickly be cut from strips of fabric. Placing two fabric strips right sides together allows for cutting two triangles at the same time that are ready for sewing.


Tip: Spray the fabric strips with spray starch and press together with a hot iron prior to cutting to hold the triangles together for sewing.

2. Place strips right sides together. Trim to straighten the left edge of the strips.
3. Align the bottom edge of the Easy Angle Ruler with the bottom edge of the fabric strips. Align the left straight edge of the fabric strips with the ruler line that matches the strip size (4" in this project). Cut along the diagonal edge of the ruler for one triangle set.



4. Flip the ruler up and align the top edge of the fabric with the strip size on the ruler (4" in this project) and the diagonal edge of the ruler with the just cut edge of the fabric.

Note: The black tip on the ruler will extend below the bottom of the strip. Cut along the straight edge of the ruler for a second triangle set.



CUTTING THE FABRIC

1. From each of the following fabrics, cut:

Red solid fabric	1 – 4" x 24" strip
Red & white print fabric	1 – 4" x 15" strip
Orange solid fabric	1 – 4" x 29" strip
Light yellow solid fabric	1 – 4" x 15" strip



- | | |
|---------------------|---------------------|
| Yellow print fabric | 1 – 4" x 15" strip |
| White solid fabric | 4 – 4" x 42" strips |
- As explained in the How to Cut Triangles section, place one color strip right sides together on top of a white solid strip to cut the following number of triangle sets from each fabric for a total of 36 easy angle triangle sets.

Red solid fabric	9 triangle sets
Red & white print fabric	5 triangle sets
Orange solid fabric	12 triangle sets
Light yellow solid fabric	5 triangle sets
Yellow print fabric	5 triangle sets
 - From the Red solid fabric, cut 3 – 2-1/2" x 42" strips for binding. Trim the selvages. If desired, the binding strips may be cut on the diagonal to make bias binding. A total of 100" of binding is needed.


SEWING INSTRUCTIONS

All seams are sewn right sides together with 1/4" seam allowance.



ASSEMBLING THE QUILT TOP

- Sew all of the triangle sets together along the diagonal edge to make 36 – 4" x 4" triangle squares. Press seams towards the color triangle or open as desired.




- Arrange the 36 triangle squares in 6 rows of 6 squares each as shown in the picture.
- Sew the squares in each row together, matching seam intersections. Press the seams in each row all one direction, changing the direction in alternate rows.
- Sew the rows together, matching seam intersections. Press the seams any direction. The design is 21-1/2" x 21-1/2" square.

FINISHING THE WALL HANGING

- On a flat surface, make a quilt sandwich by layering the backing fabric right side down, then the batting, then the quilt top right side up and baste together.
- Quilt as desired.
- After quilting, baste stitch a scant 1/4" around the outside edges of the quilt to keep the layers together.
- Stitch the binding strips together end to end using diagonal seams. Press the seams open. Fold and press in half lengthwise to make double binding.
- Sew the binding to the quilt front in a 1/4" seam along the quilt edge.
- Trim the backing and batting a generous 1/8" wider than the seam allowance.
- Flip the binding to the back ensuring that approximately 3/8" binding is showing on the front of the quilt, and stitch down with matching thread.
- Make a label with your name and date and sew it onto the back of your quilt.

Tip: Sew the label onto the back before quilting so that the quilting stitches permanently attach it to the quilt.





YELLOW BORDER #2

FINISHED MEASUREMENTS

21-3/4" x 21-3/4" square
3-1/2" triangles

MATERIALS

- EZ Quilting™ Easy Angle Ruler
- General sewing supplies
- Fabric spray starch
- Quilting thread to match fabrics
- Rotary Cutter
- Mat
- Ruler

FABRIC REQUIREMENTS

Red solid fabric	5" x 15" rectangle
Red & white print fabric	5" x 15" rectangle
Orange solid fabric	5" x 15" rectangle
Orange & white print fabric	5" x 15" rectangle
Light yellow solid fabric	5" x 15" rectangle
Yellow print fabric	1/2 yd
White solid fabric	1/2 yd
Backing fabric	3/4 yd
Batting	25" x 25" square

HOW TO CUT TRIANGLE SETS

1. The triangles can quickly be cut from strips of fabric. Placing two fabric strips right sides together allows for cutting two triangles at the same time that are ready for sewing.
Tip: Spray the fabric strips with spray starch and press together with a hot iron prior to cutting to hold the triangles together for sewing.
2. Place strips right sides together. Trim to straighten the left edge of the strips.
3. Align the bottom edge of the Easy Angle Ruler with the bottom edge of the fabric strips. Align the left straight edge of the fabric strips with the ruler line that matches the strip size (4" in this project). Cut along the diagonal edge of the ruler for one triangle set.
4. Flip the ruler up and align the top edge of the fabric with the strip size on the ruler (4" in this project) and

the diagonal edge of the ruler with the just cut edge of the fabric.

Note: The black tip on the ruler will extend below the bottom of the strip. Cut along the straight edge of the ruler for a second triangle set.

CUTTING THE FABRIC

From each of the following fabrics, cut:

Red solid fabric	1 – 4" x 15" strip
Red & white print fabric	1 – 4" x 15" strip
Orange solid fabric	1 – 4" x 15" strip
Orange & white print fabric	1 – 4" x 15" strip
Light yellow solid fabric	1 – 4" x 15" strip
Yellow print fabric	1 – 4" x 15" strip
White solid fabric	3 – 4" x 42" strips

2. As explained in the How to Cut Triangles section, place one color strip right sides together on top of a white solid strip to cut the following number of triangle sets from each fabric for a total of 36 easy angle triangle sets.


Red solid fabric	6 triangle sets
Red & white print fabric	6 triangle sets
Orange solid fabric	6 triangle sets
Orange & white print fabric	6 triangle sets
Light yellow solid fabric	6 triangle sets
Yellow print fabric	6 triangle sets
3. From the Yellow print fabric, cut 3 – 2-1/2" x 42" strips for binding. Trim the selvages. If desired, the binding strips may be cut on the diagonal to make bias binding. A total of 100" of binding is needed.

SEWING INSTRUCTIONS


All seams are sewn right sides together with 1/4" seam allowance.

ASSEMBLING THE QUILT TOP

1. Sew all of the triangle sets together along the diagonal edge to make 36 – 4" x 4" triangle squares. Press seams towards the color triangle or open as desired.
2. Arrange the triangle squares in 6 rows of 6 squares each as shown in the picture.



Tip: Sew the label onto the back before quilting so that the quilting stitches permanently attach it to the quilt.



3. Sew the squares in each row together, matching seam intersections. Press the seams in each row all one direction, changing the direction in alternate rows.
4. Sew the rows together, matching seam intersections. Press the seams any direction. The design is 21-1/2" x 21-1/2" square.

FINISHING THE WALL HANGING

1. On a flat surface, make a quilt sandwich by layering the backing fabric right side down, then the batting, then the quilt top right side up and baste together.
2. Quilt as desired.
3. After quilting, baste stitch a scant 1/4" around the outside edges of the quilt to keep the layers together.
4. Stitch the binding strips together end to end using diagonal seams. Press the seams open. Fold and press in half lengthwise to make double binding.
5. Sew the binding to the quilt front in a 1/4" seam along the quilt edge.
6. Trim the backing and batting a generous 1/8" wider than the seam allowance.
7. Flip the binding to the back ensuring that approximately 3/8" binding is showing on the front of the quilt, and stitch down with matching thread.
8. Make a label with your name and date and sew it onto the back of your quilt.

ORANGE BORDER #3

FINISHED MEASUREMENTS

20-3/4" x 20-3/4" square
4" triangles

MATERIALS

- EZ Quilting™ Easy Angle Ruler
- General sewing supplies
- Fabric spray starch
- Quilting thread to match fabrics
- Rotary Cutter
- Mat
- Ruler

FABRIC REQUIREMENTS

Red solid fabric	5" x 17" rectangle
Red & White print fabric	5" x 12" rectangle
Orange solid fabric	5/8 yd
Orange & White print fabric	5" x 17" rectangle
Light Yellow solid fabric	5" x 5" square
Yellow print fabric	5" x 12" rectangle
White solid fabric	1/2 yd
Backing fabric	3/4 yd
Batting	25" x 25" square



HOW TO CUT TRIANGLE SETS

1. The triangles can quickly be cut from strips of fabric. Placing two fabric strips right sides together allows for cutting two triangles at the same time that are ready for sewing.
Tip: Spray the fabric strips with spray starch and press together with a hot iron prior to cutting to hold the triangles together for sewing.
2. Place strips right sides together. Trim to straighten the left edge of the strips.
3. Align the bottom edge of the Easy Angle Ruler with the bottom edge of the fabric strips. Align the left straight edge of the fabric strips with the ruler line that matches the strip size (4-1/2" in this project). Cut along the diagonal edge of the ruler for one triangle set.
4. Flip the ruler up and align the top edge of the fabric with the strip size on the ruler (4-1/2" in this project) and the diagonal edge of the ruler with the just cut edge of the fabric.

Note: The black tip on the ruler will extend below the bottom of the strip. Cut along the straight edge of the ruler for a second triangle set.

CUTTING THE FABRIC

From each of the following fabrics, cut:

- | | |
|-----------------------------|----------------------------|
| Red solid fabric | 1 – 4-1/2" x 17" strip |
| Red & white print fabric | 1 – 4-1/2" x 12" strip |
| Orange solid fabric | 1 – 4-1/2" x 17" strip |
| Orange & white print fabric | 1 – 4-1/2" x 17" strip |
| Light yellow solid fabric | 1 – 4-1/2" x 4-1/2" square |
| Yellow print fabric | 1 – 4-1/2" x 12" strip |
| White solid fabric | 3 – 4-1/2" x 42" strips |
2. As explained in the How to Cut Triangles section, place one color strip right sides together on top of a white solid strip to cut the following number of triangle sets from each fabric for a total of 25 easy angle triangle sets.

Red solid fabric	6 triangle sets
Red & white print fabric	4 triangle sets
Orange solid fabric	5 triangle sets


- | | |
|-----------------------------|-----------------|
| Orange & white print fabric | 6 triangle sets |
| Light yellow solid fabric | 1 triangle set |
| Yellow print fabric | 3 triangle sets |
3. From the Orange solid fabric, cut 3 – 2-1/2" x 42" strips for binding. Trim the selvages. If desired, the binding strips may be cut on the diagonal to make bias binding. A total of 100" of binding is needed.

SEWING INSTRUCTIONS

All seams are sewn right sides together with 1/4" seam allowance.

ASSEMBLING THE QUILT TOP

1. Sew all of the triangle sets together along the diagonal edge to make 25 – 4-1/2" x 4-1/2" triangle squares. Press seams towards the color triangle or open as desired.
2. Arrange the triangle squares in 5 rows of 5 squares each as shown in the picture.



3. Sew the squares in each row together, matching seam intersections. Press the seams in each row all one direction, changing the direction in alternate rows.
4. Sew the rows together, matching seam intersections. Press the seams any direction. The design is 20-1/2" x 20-1/2" square.



FINISHING THE WALL HANGING

1. On a flat surface, make a quilt sandwich by layering the backing fabric right side down, then the batting, then the quilt top right side up and baste together.
2. Quilt as desired.
3. After quilting, baste stitch a scant 1/4" around the outside edges of the quilt to keep the layers together.
4. Stitch the binding strips together end to end using diagonal seams. Press the seams open. Fold and press in half lengthwise to make double binding.
5. Sew the binding to the quilt front in a 1/4" seam along the quilt edge.
6. Trim the backing and batting a generous 1/8" wider than the seam allowance.
7. Flip the binding to the back ensuring that approximately 3/8" binding is showing on the front of the quilt, and stitch down with matching thread.
8. Make a label with your name and date and sew it onto the back of your quilt.

Tip: Sew the label onto the back before quilting so that the quilting stitches permanently attach it to the quilt.

